




© COPYRIGHT 1998 BY SPC TECHNOLOGY. ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS		DOC. NO.	Total Pages: 2					
DWG #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
129	A	RELEASED	DJC	7/8/98	JC	7/15/98	JMM	7/15/98



SUGGESTED STRIPPING INSTRUCTIONS  
SUGGESTED CRIMP DIE: .213

**SPECIFICATIONS:**

IMPEDANCE: NON CONSTANT  
WORKING VOLTAGE: 500 VRMS @ SEA LEVEL  
FREQUENCY RANGE: 0-300 MHZ  
FOR RG-58, 58A, 58C, 141, 141A, 400/U, BELDEN 82119, 8240, 8259, 8262, 9201, 9203, 9310, 9311, COMM/SCOPE 0268 & CUSHCRAFT ULTRALINK, TL92463E FOR TMS LMR-200, LMR-200 ULTRAFLEX, ALPHA 9848 & MSI-22

ITEM	DESCRIPTION	QTY	MATERIAL	FINISH
5	FERRULE	1	BRASS	NICKEL
4	SHELL	1	BRASS	NICKEL
3	DIELECTRIC	1	DAP	PANTONE 129
2	CONTACT	1	BRASS	SILVER
1	BODY	1	BRASS	NICKEL

**DISCLAIMER**  
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL OBTAIN THE SERVICES OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.



**SPC TECHNOLOGY**

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.	DRAWN BY:	DATE:
	DANIEL CAREY	7/8/98
	CHECKED BY:	DATE:
	JOHN COLE	7/15/98
	APPROVED BY:	DATE:
	JEFF MCVICHER	7/15/98

DRAWING TITLE:		UHF MALE CRIMP	
SIZE	DWG. NO.	ELECTRONIC FILE	REV
A	1532	92N3378.DWG	A
SCALE:	NTS	U.O.M.: INCHES [mm]	SHEET: 1 OF 1