# molex

Part Number: 1720103020

Product Description: Impel 90 Ohm 5 Pair Right-Angle Daughtercard, 1.90mm Pitch, Left Guided, 10 Columns, 100 Circuits, Plated

Through Hole Dimension 0.36mm

Series Number: 172010

**Status:** Active

**Product Category:** Backplane Connectors



#### **Documents & Resources**

#### **Drawings**

<u>Drawing 1720103020\_sd.pdf</u> Packaging Design Drawing PK-78888-307-001.pdf

#### 3D Models and Design Files

3D Model 1720103020\_stp.zip
3D Model PDF 1720103020.pdf
Electrical Model Document 1720100002-000.pdf
S-Parameter Model 1720100002-000.zip
Symbol Footprint Data SYM-172010-3020-001.zip

#### **Specifications**

Application Specification 1713209994-AS-000.pdf
Application Specification AS-171320-990-001.pdf
Application Specification AS-171320-991-001.pdf
Application Specification AS-171320-992-001.pdf
Product Specification PS-171320-999-001.pdf

## **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

# Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

#### **Part Details**

#### General

Status	Active
Category	Backplane Connectors
Series	172010
Description	Impel 90 Ohm 5 Pair Right-Angle Daughtercard, 1.90mm Pitch, Left Guided, 10 Columns, 100 Circuits, Plated Through Hole Dimension 0.36mm
Application	Coplanar, Daughtercard
Component Type	PCB Receptacle
Product Family	Impel and Impel Plus Backplane Solutions
Product Name	Impel
UPC	887191490830

# Agency

UL	E29179
----	--------

#### **Electrical**

Current - Maximum per Contact	0.75A
Data Rate	40.0 Gbps
Impedance	90Ω
Shield Type	Full Shield
Voltage - Maximum	29.9V AC (RMS)/DC

# Physical

Circuits (Loaded)	100
Circuits (maximum)	100
Color - Resin	Black
Durability (mating cycles max)	200
First Mate / Last Break	No
Flammability	94V-0
Guide to Mating Part	Yes
Keying to Mating Part	None
Material - Metal	High Performance Alloy (HPA)
Material - Plating Mating	Gold
Material - Plating Termination	Nickel, Tin
Material - Resin	High Temperature Thermoplastic
Net Weight	42.158/g
Number of Columns	10
Number of Pairs	5
Number of Rows	10
Orientation	Right Angle
Packaging Type	Tray
PC Tail Length	1.30mm
PCB Locator	No
PCB Retention	None
PCB Thickness - Recommended	1.00mm
Pitch - Mating Interface	1.90mm
Pitch - Termination Interface	1.90mm
Plating min - Mating	0.762μm
Temperature Range - Operating	-55° to +85°C

## **Solder Process Data**

Lead-Free Process Capability   N/A	Lead-Free Process Capability	N/A
------------------------------------	------------------------------	-----

# Mates With / Use With

Mates with Part(s)

Description	Part Number
Impel 90 Ohm 5 Pair Vertical Backplane Header, 1.90mm Pitch, Left Guided, 10 Columns, 100 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.36mm	<u>1720053107</u>

# **Application Tooling**

# Global

Description	Part Number
Impel Daughtercard Press-In Tool	0622018966

This document was generated on Sep 01, 2023